



BESTON GROUP CO., LTD
9 FLOOR, 6 BUILDING, E-COMMERCIAL PORT OF CENTER,
ZHENGZHOU CITY, CHINA
TEL: 0086-371-55181866 WEB: www.bestongroup.com

日期Date: 2025/12/9 送样人Sender: 冯超辉

样品资料/Sample information:

样品名称 Name	Oil-based cuttings	送样重量 Weight	—
样品状态 Sample status		取样重量 Sampling weight	300g
实验用时 Time	2H44min	实验温度 Temperature	268°C

实验过程Experimental process: 普通裂解

序号 No.	时间段 Time	烟气温度 Flue gas	备注 Remark
1	9:14	16°C	Start Heating
2	9:26	73°C	Smoke
3	9:30	102°C	Oil starts to come out
4	9:37	183°C	Accelerate oil output
5	9:47	268°C	\
6	9:48	268°C	Reduced oil output
7	10:09	258°C	Oil output stopped
8	11:58	225°C	Stop heating
9			
10			
11			
12			

实验结果/Result:

项目 Item	组成 Composition	单位/g Unit/g	占比量/% Ratio/%
	Oil	22g	7.33%
	Water	8g	2.67%
	Slag	259g	86.33%
	Loss	11g	3.67%

实验总结
Test summary Post-test measurement: cuttings particle size 5 mm; no obvious coking inside the flask.

备注：
以上数据仅供参考
Noted:

The above data is for reference only

签章/signature:




BESTON GROUP CO., LTD
9 FLOOR, 6 BUILDING, E-COMMERCIAL PORT OF CENTER,
ZHENGZHOU CITY, CHINA
TEL: 0086-371-55181866 WEB: www.bestongroup.com

原料图片



油样图片



渣样图片

